HFAC REG. NO.	



APPLICATION FOR CERTIFICATION

OF BEEF OPERATIONS

TO BE COMPLETED IN FULL

GENERAL IN	FOR	MATION				
PRODUCER NAME						
FARM NAME						
ADDRESS						
(physical and mailing)						
ORGANIZATIONAL STRUCTURE (ISO §8.	2.2.)	☐ Sole Proprie☐ Non-Profit C			rporation	
ON FARM CONTACT						
TELEPHONE NO:		1	FAX I	NO:		MOBILE NO: EMAIL:
List brand name(s) pr	oduct i	s sold under				
TYPE OF OPERATION	ON	Cow-	Calf		Stocker	Reared calves sold
		Finish	ner		Stocker cattle sold	Finished cattle sold
Total Number of:	Breed	ling Cows:			Breeding Bulls:	Calves born in last 12 months:
Total Number in Last 12 months:	Calv	es			Stockers	Finished Stock
Name and address of	sold: Haulie	r (Transporter)?)		Sold:	sent to slaughter:
Name of Abattoir (Pr (must complete Universal)						
Do you have a closed answer the following			e			
Total number of calves/stockers purchased		sed	Calv	es bought:	Stockers bought:	
for fattening in last Name and Address of			gr			
Cattle for Fattening?	~					
Destination of Cattle	Sold fo	or Finishing				
(Customer)? Member of other qua	lity ass	urance or		Name	e Of Quality Assurance or Co	ertification Program(s):
certification program			□No			

FARM QUESTIONNAIRE: BEEF

1) FACILITIES

For each location you use to raise cattle, you must submit a diagram of the property that includes the following information:

- 1. Physical address of the property, and the distance from the main farm/ranch
- 2. Total acreage of the property
- 3. The location and size of each pen/pasture/corral
- 4. The size and location of any buildings or structures on the property
- 5. The location of feeders and drinkers inside each pen/pasture/corral
- 6. The location of animal handling facilities.

Attach the diagram(s) to this application.

Describe your animal handling facilities (chutes, restraint systems, handling aids, etc.):

Where do cows calve?	
How often are cows checked during calving season? _	
How often are livestock checked during various seasor	ns?
Winter	Spring
Summer	Fall
What protection for animals from inclement weather (v	windbreaks, shade, etc.) is provided during
Winter	
Summer	
What protection from predators (dogs, coyotes, etc.) is	
How/where are bulls housed?	
Cleaning and Disinfection Policy (skip if not applicable List compounds, products, and methods used on farm/n	•
List:	

<u>Buildings and Equipment</u> (List cleaning/disinfecting procedures)

	Buildings preparation	
	cleaning method	
	disinfection	
	resting (drying)	
	drains	
	Corrals/Pens/Barns preparation	
	cleaning method	
	disinfection	
	resting (drying)	
	drains	
	Equipment preparation	
	cleaning method	
	disinfection	
	resting (drying)	
2) WA	STE MANAGEMENT POLICY (A	Applicable to feedlot or penned animals)
	How often are pens/corrals se	
	Winter:	
	Summer:	
b.	How is manure disposed of:	
	Composting	Spread on land: How much acreage is available?
	Lagoon	Other:
c.	How is medical waste (needl	es, scalpel blades, medicine containers, syringes, etc.) disposed of?
	e sharps containers used? ak-proof, puncture resistant co	Y N ontainer, such as empty coffee tin, or similar)

3) HERD BIOSECURITY POLICY

a. Describe quarantine and processing of newly purchased stock or those returning (including cows, bulls, heifers, steers, and show animals).	to the	farm
b. Do vehicles entering farm premises have access restricted to specific		
area of farm?	Y	N
c. Are visitors required to wear boots and other protective apparel and is visitor access restricted to specific area of the farm, pending owner/manager approval?	Y	N
Explain:		
d. Are employees trained in biosecurity measures?	Y	N
e. Are work routines used that minimize disease transfer between animal groups (e.g. between hospital pens, feed lots)?	Y	N
f. Are sick animals segregated from the rest of the herd? If yes, where?	Y	N
4) FEED AND WATER		
Feed Suppliers		
Name:		
Address:		
Telephone No.:		
Mills Used:		
Major source Minor source		

Name:			
Address:			
Telephone No.:			
Mills Used:			
Major source	Minor source		
Name:			
Address:			
Telephone No.:			
Mills Used:			
Major source	Minor source		
Is feed free from all n	nammalian derived protein, except milk, and milk products?	Y	N
Is feed free from grow including ionophores	wth promoters and sub-therapeutic antibiotics, and coccidiostats?	Y	N
Are feed ingredient to	ags available for at least one year?	Y	N
	on – keep a representative ingredient tag for each ingredient us tags as rations change.		-
Are feed bunks filled	manually or automatically?		
How often are feed by	unks cleaned?		
How much bunk space	ee is available per animal?		
How many days supp	ly of feed is available on the ranch?		
Are cattle kept on gra	zing pastures during grass-growing season?	Y	N
How is animal access	to poisonous plants or unsuitable feedstuffs prevented?		
Commodity Feed A1	•ea		
Is feed kept covered?		Y	N
Are commodity storage	ge areas cleaned between loads of feed?	Y	N

Application for Certification: Beef October 17, 2012

Describe commodity/feed storage (separate or mixed; covered or uncovered):

How often are water troughs checked?		
How often are water troughs cleaned?		
Are water troughs disinfected? If yes, what is used:	Y	N
Are any water filtration/purification systems used? If yes, please list:	Y	N
What is the primary water source for the farm?		
What are emergency or backup water sources?		
If colostrum must be provided to a calf, when is it given?		
Method used (bottle, tube):		
Method used (bottle, tube):		
Volume administered:		
Volume administered:At what age are calves weaned?		
Volume administered:At what age are calves weaned?		
Volume administered:At what age are calves weaned?At what age are calves provided forage or creep feed?		

What type of scoring system is used?

) PEST	r Control Policy				
List	t methods/products used to control rode	ents,	birds and	flies:	
	Rodents traps			Y	N
	bait			Y	N
	limit access			Y	N
	covered feed storage			Y	N
b.	Birds				
	bait			Y	N
	nets			Y	N
	covered feed storage			Y	N
	noise or visual deterrents			Y	N
	Flies				
	bait			Y	N
	environmental control (eg frequent cle	eanin	ıg)	Y	N
	ear tags			Y	N
	other:				
) Anii	MAL HEALTH PROCEDURES				
Name	/Phone Number of Veterinarian:				
	nation Program				
	lves (Defined < 6 months)	_	A		7 • 4• . P
Ag	ge Vaccinating for	+	Age	V	accinating for
		\blacksquare			
	ung stock (Defined as 6 – 12 months) ge Vaccinating for)	A 30	v	accinating for
Ag	e vaccinating for		Age	· · · · · · · · · · · · · · · · · · ·	accinating 101
		1			
Co.	ws./ Steers / Bulls (Defined as 12 more	-4hc 0			
	vs./ Steers / Bulls (Defined as 12 mor	ntns o	Age		Vaccinating for
			 		

Age Parasite/Application Age Parasite/Application Coung stock (Defined as 6 – 12 months) Age Parasite/Application Age Parasite/Application Cows./ Steers / Bulls (Defined as 12 months or more) Age Parasite/Application Age Parasite/Application Calves (Defined < 6 months) Age Parasite/Application Age Parasite/Application Coung stock (Defined as 6 – 12 months) Age Parasite/Application Age Parasite/Application Coung stock (Defined as 6 – 12 months) Age Parasite/Application Age Parasite/Application Coung stock (Defined as 6 – 12 months) Age Parasite/Application Age Parasite/Application	Calves	ng Program (Defined < 6 months)		
Voung stock (Defined as 6 – 12 months) Age Parasite/Application Age Parasite/Application Cows./ Steers / Bulls (Defined as 12 months or more) Age Parasite/Application Age Parasite/Application Calves (Defined < 6 months) Age Parasite/Application Age Parasite/Application Voung stock (Defined as 6 – 12 months) Age Parasite/Application Age Parasite/Application Cows./ Steers / Bulls (Defined as 12 months or more)			Age	Parasite/Application
Age Parasite/Application Age Parasite/Application Cows./ Steers / Bulls (Defined as 12 months or more) Age Parasite/Application Age Parasite/Application Calves (Defined < 6 months) Age Parasite/Application Age Parasite/Application Young stock (Defined as 6 – 12 months) Age Parasite/Application Age Parasite/Application Young stock (Defined as 6 – 12 months) Age Parasite/Application Age Parasite/Application Cows./ Steers / Bulls (Defined as 12 months or more)	8-	2 W2 W5100/12 P P1100012022	1 1-50	- w. w
Age Parasite/Application Age Parasite/Application Cows./ Steers / Bulls (Defined as 12 months or more) Age Parasite/Application Age Parasite/Application ternal Parasite Control Program Calves (Defined < 6 months) Age Parasite/Application Age Parasite/Application Young stock (Defined as 6 – 12 months) Age Parasite/Application Age Parasite/Application Cows./ Steers / Bulls (Defined as 12 months or more)				
Age Parasite/Application Age Parasite/Application Cows./ Steers / Bulls (Defined as 12 months or more) Age Parasite/Application Age Parasite/Application ternal Parasite Control Program Calves (Defined < 6 months) Age Parasite/Application Age Parasite/Application Young stock (Defined as 6 – 12 months) Age Parasite/Application Age Parasite/Application Cows./ Steers / Bulls (Defined as 12 months or more)				
Cows./ Steers / Bulls (Defined as 12 months or more) Age Parasite/Application Age Parasite/Application ternal Parasite Control Program Calves (Defined < 6 months) Age Parasite/Application Age Parasite/Application Young stock (Defined as 6 – 12 months) Age Parasite/Application Age Parasite/Application Young stock (Defined as 6 – 12 months) Age Parasite/Application Age Parasite/Application	Young s	stock (Defined as 6 – 12 months)	<u> </u>	
Age Parasite/Application ternal Parasite Control Program Calves (Defined < 6 months) Age Parasite/Application Age Parasite/Application Young stock (Defined as 6 – 12 months) Age Parasite/Application Age Parasite/Application Cows./ Steers / Bulls (Defined as 12 months or more)	Age	Parasite/Application	Age	Parasite/Application
Age Parasite/Application Age Parasite/Application ternal Parasite Control Program Calves (Defined < 6 months) Age Parasite/Application Age Parasite/Application Young stock (Defined as 6 – 12 months) Age Parasite/Application Age Parasite/Application Cows./ Steers / Bulls (Defined as 12 months or more)				
Age Parasite/Application Age Parasite/Application ternal Parasite Control Program Calves (Defined < 6 months) Age Parasite/Application Age Parasite/Application Young stock (Defined as 6 – 12 months) Age Parasite/Application Age Parasite/Application Cows./ Steers / Bulls (Defined as 12 months or more)				
Age Parasite/Application Age Parasite/Application ternal Parasite Control Program Calves (Defined < 6 months) Age Parasite/Application Age Parasite/Application Young stock (Defined as 6 – 12 months) Age Parasite/Application Age Parasite/Application Cows./ Steers / Bulls (Defined as 12 months or more)				
ternal Parasite Control Program Calves (Defined < 6 months) Age Parasite/Application Age Parasite/Application Young stock (Defined as 6 – 12 months) Age Parasite/Application Age Parasite/Application Cows./ Steers / Bulls (Defined as 12 months or more)	Cows./ S	Steers / Bulls (Defined as 12 mo	nths or more)	
Calves (Defined < 6 months) Age Parasite/Application Age Parasite/Application Young stock (Defined as 6 – 12 months) Age Parasite/Application Age Parasite/Application Cows./ Steers / Bulls (Defined as 12 months or more)	Age	Parasite/Application	Age	Parasite/Application
Calves (Defined < 6 months) Age Parasite/Application Age Parasite/Application Young stock (Defined as 6 – 12 months) Age Parasite/Application Age Parasite/Application Cows./ Steers / Bulls (Defined as 12 months or more)				
Calves (Defined < 6 months) Age Parasite/Application Age Parasite/Application Young stock (Defined as 6 – 12 months) Age Parasite/Application Age Parasite/Application Cows./ Steers / Bulls (Defined as 12 months or more)				
Calves (Defined < 6 months) Age Parasite/Application Age Parasite/Application Young stock (Defined as 6 – 12 months) Age Parasite/Application Age Parasite/Application Cows./ Steers / Bulls (Defined as 12 months or more)				
Age Parasite/Application Age Parasite/Application Young stock (Defined as 6 – 12 months) Age Parasite/Application Age Parasite/Application Cows./ Steers / Bulls (Defined as 12 months or more)				
Young stock (Defined as 6 – 12 months) Age Parasite/Application Age Parasite/Application Cows./ Steers / Bulls (Defined as 12 months or more)	ternal P	arasite Control Program		
Age Parasite/Application Age Parasite/Application Cows./ Steers / Bulls (Defined as 12 months or more)		_		
Age Parasite/Application Age Parasite/Application Cows./ Steers / Bulls (Defined as 12 months or more)	Calves	(Defined < 6 months)	Age	Parasite/Application
Age Parasite/Application Age Parasite/Application Cows./ Steers / Bulls (Defined as 12 months or more)	Calves	(Defined < 6 months)	Age	Parasite/Application
Age Parasite/Application Age Parasite/Application Cows./ Steers / Bulls (Defined as 12 months or more)	Calves	(Defined < 6 months)	Age	Parasite/Application
Age Parasite/Application Age Parasite/Application Cows./ Steers / Bulls (Defined as 12 months or more)	Calves	(Defined < 6 months)	Age	Parasite/Application
, , , , , , , , , , , , , , , , , , , ,	Age	(Defined < 6 months) Parasite/Application		Parasite/Application
, , , , , , , , , , , , , , , , , , , ,	Calves Age Young s	(Defined < 6 months) Parasite/Application stock (Defined as 6 – 12 months)		
, , , , , , , , , , , , , , , , , , , ,	Calves Age Young s	(Defined < 6 months) Parasite/Application stock (Defined as 6 – 12 months)		
	Calves Age Young s	(Defined < 6 months) Parasite/Application stock (Defined as 6 – 12 months)		
	Calves Age Young s	(Defined < 6 months) Parasite/Application stock (Defined as 6 – 12 months)		
, , , , , , , , , , , , , , , , , , , ,	Calves Age Young s	(Defined < 6 months) Parasite/Application stock (Defined as 6 – 12 months)		
J S	Young s	(Defined < 6 months) Parasite/Application stock (Defined as 6 – 12 months) Parasite/Application	Age	
	Young s Age Cows./ S	(Defined < 6 months) Parasite/Application Stock (Defined as 6 – 12 months) Parasite/Application Steers / Bulls (Defined as 12 mo	Age nths or more)	Parasite/Application
	Young s Age Cows./ S	(Defined < 6 months) Parasite/Application Stock (Defined as 6 – 12 months) Parasite/Application Steers / Bulls (Defined as 12 mo	Age nths or more)	Parasite/Application

Are foot baths used	1?		Y	N
If so, what type of o	dip is used?			
How often is solution	on changed?			
Management Procedu Disbudding/dehorn				
Age:	Method:	Is pain control used?	Y	N
<u>Castration:</u>	Made al	I	V	ν.
Age:	Method:	Is pain control used?	ĭ	N
Removal of Extra T	<u>Feats, if required</u> Method:	In main control was 40	V	ν.
Age:	Method:	Is pain control used?	Y	N
Are any other physic	ical alterations performed?		Y	N
If yes, please explain	in:			
Describe manageme	ent of orphan or feedlot calves			
nimal handling and				
nimal handling and				
nimal handling and Types of handling a	aids used:			
nimal handling and Types of handling a	d identification aids used:			
nimal handling and Types of handling a	didentification aids used: animals identified?			
nimal handling and Types of handling a How are individual CASUALTY STOCK P	didentification aids used: animals identified?			
Types of handling and How are individual CASUALTY STOCK P What is the proto	aids used: animals identified?			

STAGE OF PRODUCTION	EUTHANASIA METHOD OF CHOICE	ALTERNATIVE EUTHANASIA METHOD
calves		
young stock		
adult cattle		
INDIVIDUAL TRAINED AN	ND APPROVED TO PERFORM Trained and Approved By	I EUTHANASIA ON FARM Approval Date
Producers should keep a copy of Box Box Carcass Disposal Policy Method of carcass disposal (if re	ine Practitioners with their far	m plan .
Method used to restrict access to	o carcasses present on farm/ran	ch:
Method used to reduce fly and o	odor nuisance (if applicable):	
Method used to reduce fly and output the second of the sec		
	TION PLANS	Y N

Emergency Contacts:

Phone Numbers: _____

Are local emergency services numbers posted by phones (Fire Dept., etc.)?	Y	N
List Local Fire Dept.:		
Phone Number:		
Normal stock water supplies:		
Emergency stock water supplies:		
Emergency water supply phone number:		
Normal power sources:		
Emergency power supplies:		
Emergency power supply phone number:		
Veterinarian name:		
Veterinarian phone number:		

10) RECORDS

All animal health records must be retained for at least 1 year.

The following information must be available either by using management software or by using HFAC forms (available for download at www.certifiedhumane.org):

A		Are records available?	
Animal deaths and causes	Y	N	
Medication records (reason for rx, drug used)	Y	N	
Quarantine records of incoming cattle	Y	N	
Record of feedstuff used (see Section 2 Herd Nutrition Plan)	Y	N	
Equipment and maintenance checks	Y	N	
Staff Training	Y	N	
Record of stocking rates and pen/pasture sizes	Y	N	
Record of actions taken on complaints about the operation's complian with HFAC standards (ISO §15)	ce Y	N	

11) STOCKPERSON COMPETENCY TRAINING

List personnel who perform routine management procedures

Disbudding/dehorning	
Method used:	
Employee	Type of Training
Castration	
Method used:	
Employee	Type of Training
Administration of Injections	
Employee	Type of Training
Employee	Type of Training
Animal husbandry or animal handling	
Employee	Type of Training

PRODUCER AGREEMENTS		
I/we, the duly authorized representative(s) of the operation described in this application, hereby affirm that all information supplied in this document and any attachments is true and accurate.		
I affirm that I have read and understood the Humane Farm Animal Care (HFAC) standards applicable to my operation. I affirm my commitment to abide the HFAC certification polices, procedures and standards (§8.2.1.b.). No prohibited products or practices have been used, applied, or otherwise allowed to compromise the integrity of the products sold by me. I understand that failure to comply with the standards or giving false information may result in revocation of the certification of my operation.		
I understand that the operation will be inspected annually and may also be subject to unannounced inspection and/or sampling for residues at any time. If the operation is a member of a Producer Group, I understand that the Internal Control System of the Producer Group will inspect the operation at least annually and that Humane Farm Animal Care may also conduct inspections of the operation. I agree to report any significant changes to the Farm Questionnaire to HFAC and to supply any information needed for evaluation of products to be certified (§8.2.1.b.).		
I understand that submission of this application does not guarantee or imply certification. I give permission for HFAC, staff, committee members or field inspectors to visit my farm and examine fields, buildings, animals, files, documents and records, including but not limited to financial data and tax returns. I understand and agree that no HFAC staff member, board member, committee member, inspector, consultant, subcontractor, or volunteer shall be held liable or responsible for any amount in excess of the certification fees paid. I give my permission for HFAC to use subcontractors to perform tasks released to the process of certification (ISO §4.4.c.).		
I give permission for HFAC to release information from my file to other recognized certification organizations for purposes of document review. I understand that HFAC will obtain confidentiality statement from the requesting certifier before releasing any information.		
All information provided in this application will be held in strict confidence and will be used by the inspector, office staff and certification committee members for certification purposed only. The above individuals have disclosed potential conflicts of interest and are bound by confidentiality agreements. HFAC has my permission to obtain information, documents, or materials related to certification, suspension of certification, or revocation of certification from other certifiers.		
Signature Authorized Representative of the Producer (ISO §8.2.1) Date		

PLEASE ENSURE THAT A LIVESTOCK PROCESSOR INFORMATION FORM IS COMPLETED, SIGNED AND SUBMITTED WITH THIS APPLICATION. FAILURE TO PROVIDE THIS INFORMATION MAY CAUSE DELAY IN SCHEDULING YOUR INSPECTION.

Application Instructions

Please complete and return the following to Humane Farm Animal Care, PO Box 727, Herndon, VA. 20172:

- 1. Application
- 2. Processor Information
- 3. Processing Fee of \$75.00

Completion of the Application provides HFAC with the following information:

- 1. **Animal Health Plan** (this should be regularly reviewed in conjunction with a veterinarian.)
- 2. **Bio-security Policy** (to limit the introduction and/or spread of disease onto and within the production unit.)
- 3. **Nutrition Plan**: Covers all stages of production. What is fed and to which group. In conjunction with regular body condition scoring/weighing to monitor outcome of nutritional management. Safe, hygienic storage of all foodstuffs, the potential to trace back to source.
- 4. Casualty Stock Management Policy: to safeguard the welfare of any sick or injured animal requiring humane destruction on-farm and to protect the health interests of the consuming public. Detailed guidelines are available as follows: Practical Euthanasia of Cattle American Association of Bovine Practitioners; The Emergency Euthanasia of Sheep and Goats California Department of Food and Agriculture and Veterinary Medicine Extension, U.C. Davis; On Farm Euthanasia of Swine Options for the Producer National Pork Producers and the American Association of Swine Practitioners; Euthanasia of Poultry UC Davis Center for Animal Welfare. It is recommended that farm casualty policy adopt the relevant guidelines.
- 5. **Disposal of Fallen Stock Policy**: to ensure the safe, hygienic and legal disposal of animal carcasses. The plan must cover stock dying as a result of natural causes or following on-farm casualty slaughter, and includes fetal material. It must be done in such a way as to not endanger other livestock or humans; such material must not be accessible to dogs and predators. The method must encourage rapid decomposition and destruction of infectious agents and not result in fly or odor nuisance: A number of options are available:
 - a. Disposal off farm via dead hauler, rendering company, licensed landfill site, licensed incinerator.
 - b. On farm burial or composting, if legal.
- 6. **Cleaning and Disinfection Policy**: cleaning and disinfection routines, including chemicals used to assist in the reduction of transmission of infectious agents. This plan must be an integral part of the Bio-Security Policy. The plan should consider:
 - a. Building and equipment;
 - b. Livestock, people, pests and moveable equipment;
 - c. Feed and water.

- 7. **Pest Control Policy:** Manage levels of potentially harmful vermin and pests (rodents, birds and flies) in order to keep to a minimum and avoid the risk of disease spreading to humans and animals, damage to buildings and services, and contamination and spoilage of feed.
- 8. **Farm Waste Management Policy**: Waste materials must be removed from animals accommodation on a regular basis and disposed of properly. Waste materials of any nature must not be a risk to animal health or compromise the control of pets and vermin. The plan will also include the management of clinical and pharmaceutical waste.
- 9. **Emergency Action Plan**: Instructions to staff in the case of fire, flood, freeze or drought. Provision of references for emergency services. Emergency water and feed supplies and necessary equipment.
- 10. **Stock-person Competency demonstrated**, and if possible validated, in husbandry methods (castration/disbudding, etc.) records of all staff wit the responsibility for livestock, identifying livestock experience and any formal/informal training completed.
- 11. **Records**: Records periodically examined by vet/and or others (as an aid to management) provide the verification that objectives of the plan are being met or to prompt adjustments to the plans to ensure that objectives are realized in the future.

You must be in the position to show the Certified Humane Inspector the following at his/her visit to the Unit:

Death and reasons for

Culling rates and reasons for (when known)

Medicine records including reason for use and withdrawal/safe sale date

Feed and feed ingredient records for previous year

Record of vital automatic equipment maintenance checks

List of routine farm maintenance checks

Training and/or experience of all staff involved in the livestock enterprises

Demonstrate safe, hygienic, well-maintained buildings/environment, handling equipment and automatic equipment.